


PROPRIETARY AND CONFIDENTIAL


The information contained in this drawing is the sole property of Baknor. Any reproduction in part or as a whole without the written permission of Baknor is prohibited.



REVISIONS

REV	DESCRIPTION	DATE	APPROVED
0	FIRST RELEASE	9/9/29	E.R.

THERMAL PERFORMANCE*



*Thermal performance graphs are generated using thermal analysis software. Baknor recommends that our customers test the heat sink in their application

FINISH [S]		INTERFACE [I]		TOLERANCES:		DRAWN:		BTM-B03511SIPN	
B – Black anodize	1 – Chomerics T404	2 – Chomerics T405	3 – Chomerics T410	.X	±0.15	J.P. (09-09-29)			
C – Clear anodize	4 – Chomerics T411	5 – Chomerics T412	6 – Bergquist BP100 (5 mil)	.XX	±0.07	CHECKED:	J.P. (09-09-29)		
R – Chromate	7 – Bergquist BP100 (8 mil)	8 – Bergquist BP100 (11 mil)	0 – None	ANGLES:	±0.5°	APPROVED:	E.R. (09-09-29)		
X – Custom	ALL DIMENSIONS IN mm			MATERIAL: AL 6063-T6		SIZE:	FILE:	DWG. NO.:	REV:
N – None	FINISH: SEE TABLE			MATERIAL: AL 6063-T6		A	BTM-B03511SIPN.wks	BTM-B03511SIPN-DWG	0
						SCALE: NTS	SHEET: 1 OF: 1		



5225 Orbitor Drive, Unit 2, Mississauga, Ontario, Canada L4W 4Y8
 Tel: +905-624-1800
 Toll Free: 1-877-902-2566 (877-90-BAKNOR)
 Fax: +905-629-1795
 www.baknorthermal.com